

Safety Data Sheet dated 1/10/2012, version 1
 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1. Product Identifier Mixture identification: Trade name: FORSIAL COMP A 1.2. Relevant identified uses of the substance/mixture and uses advised against 1.3. Details of the supplier of the safety data sheet Supplier: FORKOLL - Strada Prov. 42 - Km 1 - Collepasso (LE) Competent person responsible for the safety data sheet: sicurezza@forkoll.it 1.4. Emergency telephone number FORKOLL - Tel. +(39) 0833 595333 - (office hours) Poison Centre - Ospedale di Niguarda - Milan - Tel. +39/02/66101029
 2. HAZARDS IDENTIFICATION Properties / Symbols: Xi Irritant R Phrases: R36/37/38 Irritating to eyes, respiratory system and skin. If brought into contact with the eyes, the product causes irritation that may last for over 24h, if inhaled, it causes irritation to the airways, and if brought into contact with the skin it causes significant inflammation with erythema, scabs, and oedema See at paragraph 11 the additional information concerning crystalline silica
 3. COMPOSITION/INFORMATION ON INGREDIENTS Hazardous components within the meaning of EEC directive 67/548 and corresponding classification: 40% - 50% Portland cement, Cr(VI) < 2 ppm CAS: 65997-15-1 EC: 266-043-4 Xi; R36/37/38 40% - 50% free crystalline silica (Ø > 10 μ) CAS: 14808-60-7 EC: 238-878-4 substance with a Community workplace exposure limit 0.5% - 1% free crystalline silica (Ø < 10 μ)(*) CAS: 14808-60-7 EC: 238-878-4 Xi; R48/20 substance not classified according to CE regulations. Precautionary classification for respirable powder quartz: Xn R48/20



Safety Data Sheet FORSIAL COMP A

 4. FIRST AID MEASURES Contact with skin: Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap. Contact with eyes: Wash immediately and thoroughly with running water, keeping eyelids raised, for at least 10 minutes. Following this, protect the eyes with sterile gauze or a clean, dry, handkerchief. OBTAIN A MEDICAL EXAMINATION. Do not use eyewash or ointment of any kind before obtaining an examination or advice from an ophthalmologist. Swallowing: Induce vomiting. SEEK A MEDICAL EXAMINATION IMMEDIATELY and present the safety-data sheet. Wash the mouth thoroughly and drink plenty of water. In case of disease consult a physician immediately and present this safety-data sheet. Inhalation: Ventilate the premises. The patient is to be removed immediately from the premises contaminated and made to rest in a well ventilated area. Should the patient feel unwell, consult a
5. FIRE-FIGHTING MEASURES The product does not present a fire hazard Extinguishers not to be used: None in particular.
 ACCIDENTAL RELEASE MEASURES Measures for personal safety: None in particular Environmental measures: Cleaning methods: Rapidly recover the product, wearing protective clothing. Scoop into containers and seal for disposal. After the product has been recovered, rinse the area and materials involved with water.
7. HANDLING AND STORAGE Handling precautions: Avoid contact with skin and eyes and exposure to high dust concentration. Avoid powder development and deposit Incompatible materials: Keep away from water or from damp surroundings. Storage conditions: Always keep the containers tightly closed. Instructions as regards storage premises: Adequately ventilated premises.



Safety Data Sheet FORSIAL COMP A

8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Precautionary measures:
Give adequate ventilation to the premises where the product is stored and/or handled.
Respiratory protection:
Not needed for normal use.
Use adequate protective respiratory equipment, when above TLV.
A dust mask should be worn if above exposure limits.
Protection for hands:
Use protective rubber gloves.
Neoprene gloves are suggested (0,5 mm) not recommended gloves: none
Eye protection:
Safety goggles.
Protection for skin:
Use clothing that provides comprehensive protection to the skin.
Personal Protective Equipment should comply with relevant CE standards (as EN 374 for gloves
and EN 166 for goggles), correctly maintained and stored. Consult the supplier to check the
suitability of equipment against specific chemicals and for user information.
Exposure limit value of single components:
Portland cement, Cr(VI)< 2 ppm
TLV TWA:: (polvere)10 mg/m ³
free crystalline silica ($\emptyset > 10 \ \mu$)
TLV TWA:: 0,05 mg/m ³ (respirable fraction)
Carry out the control of the concentrations of the substances with exposure limits assigned, in the
working place according to local dispositions
9. PHYSICAL AND CHEMICAL PROPERTIES
Appearance: powder
Colour: grey
Odour: slight, typical of cement
pH: N.A.
pH(water dispersion,10%): 12,5
Melting point: N.A.
Boiling point: == °C
Flash point: == °C
Solid/gas flammability: N.A.
Autoignition temperature: $==$ °C
Explosion limits(by volume): ==
Oxidizing properties: N.A.
Vapour pressure: N.A.
Relative density: 1.3 g/cm ³ (23°C)
Solubility in water: partly soluble
Lipid solubility: soluble
Viscosity: N.A.
Vapour density (air=1): N.A.



0. STABILITY AND	
Conditions to	avoid: 9 under normal conditions.
Stable	
1. TOXICOLOGICA	
Route(s) of er	itry:
	tion: Yes
	ition: Yes
	ct: No
	information related to the product:
	xicological data are available at the moment on the product itself. is no toxicological data available on the mixture. Consider the individual concentration of
	component to assess toxicological effects resulting from exposure to the mixture.
	does not contain toxicologically relevant substances.
-	
	tating Properties:
Skin:	The product can cause irritation by contact.
Eye:	The product can cause initiation by contact.
	The product can cause irritation by contact
Sensitizing Pi	
	fects are known.
Cancerogenic	
	ARC (International Agency for Research on Cancer) believes that the crystalline silica
	ver, it also points out that the cancer effect depends on the silica characteristics and on the
	gical-physical condition of the environment.
	is a large amount of information in support of the fact that increased risk of cancer is
limite	d to persons suffering from silicosis.
In the	current situation of studios, protoction of workers from silicosis can be ensured by
	current situation of studies, protection of workers from silicosis can be ensured by cting the exposure limit values.
respe	
Mutagenic Ef	fects:
	fects are known.
Teratogenic E	
NO et	fects are known.
2. ECOLOGICAL IN	FORMATION
	lity: no data available on the preparation.
Adopt good i	ndustrial practices, so that the product is not released into the environment.
3. DISPOSAL CONS	
	ssible. In so doing, comply with the local and national regulations currently in force.
	able, refer to the following regulatory provisions : 91/156/EEC, 91/689/EEC, 94/62/EC
	ent amendments.
Disposal of h	ardened product (EC waste code) : 17 01 01
	at leavelenced where (ΓC) we at a scale $(17.01.01)$
Disposal of n	ot hardened product (EC waste code) : 17 01 01
Disposal of n The suggeste	the specific product (EC waste code) : 17 01 01 the specific process or application field a different waste code may be necessary.



Safety Data Sheet FORSIAL COMP A

14. TF	RANSPORT INFORMATION UN Number: == Rail/Road(RID/ADR): no dangerous good Sea (IMO/IMDG): no dangerous good MAR/POL 73/78,Annex III: No			
Air (ICAO/IATA): no dangerous good				
5. RE	EGULATORY INFORMATION Council Directive 67/548/EEC (Classification, packaging and labelling of dangerous substances) and subsequent amendments. Commission Directive 1999/45/EC (Classification, packaging and labelling of dangerous preparation) and subsequent amendments. Commission Directive 98/24/EC (Protection of the health and safety of workers from the risk related to chemical agent). Commission Directive 2000/39/EC (Occupational exposure limit values). Regulation (EC) No 1907/2006 (REACH). Symbols: Xi Irritant R Phrases: R36/37/38 Irritating to eyes, respiratory system and skin. S Phrases: S22 Do not breathe dust. S24/25 Avoid contact with skin and eyes. S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S36/37 Wear suitable protective clothing and gloves.			
16. O ⁻	THER INFORMATIONMain bibliographic sources:NIOSH - Registry of toxic effects of chemical substancesIstituto Superiore di Sanità - Inventario Nazionale Sostanze ChimicheECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,Commission of the European CommunitiesACGIH - Threshold Limit Values - 2004 editionSAX'S - Dangerous properties of industrial materialsThe information contained herein is based on our state of knowledge at the above-specified date. Itrefers solely to the product indicated and constitutes no guarantee of particular quality.It is the duty of the user to ensure that this information is appropriate and complete with respect to thespecific use intended.This MSDS cancels and replaces any preceding release.Text of R phrases referred to under heading 3:R36/37/38 Irritating to eyes, respiratory system and skin.R48/20 Harmful: danger of serious damage to health by prolonged exposure through inhalation.			
	Paragraphs modified from the previous revision: 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING 2. HAZARDS IDENTIFICATION 3. COMPOSITION/INFORMATION ON INGREDIENTS 4. FIRST AID MEASURES 5. FIRE-FIGHTING MEASURES 6. ACCIDENTAL RELEASE MEASURES 7. HANDLING AND STORAGE 8. EXPOSURE CONTROLS/PERSONAL PROTECTION 9. PHYSICAL AND CHEMICAL PROPERTIES 11. TOXICOLOGICAL INFORMATION 12. ECOLOGICAL INFORMATION 13. DISPOSAL CONSIDERATIONS 15. REGULATORY INFORMATION			